

USDC SDNY  
DOCUMENT  
ELECTRONICALLY FILED  
DOC #:  
DATE FILED: 11/23/2021

UNITED STATES DISTRICT COURT  
SOUTHERN DISTRICT OF NEW YORK

-----  
UNITED STATES OF AMERICA,

-against-

MARTIN REYES,

Defendant.  
-----

X  
:  
:  
:  
:  
:  
:  
:  
:  
X

20-CR-159 (VEC)

ORDER

VALERIE CAPRONI, United States District Judge:


WHEREAS Mr. Reyes' sentencing hearing is scheduled for November 29, 2021 at 10:30 a.m., Dkt. 42;

IT IS HEREBY ORDERED that sentencing is adjourned to **December 3, 2021 at 3:00 p.m.** The sentencing will take place in Courtroom 443 of the Thurgood Marshall Courthouse, 40 Foley Square, New York, New York, 10007.

The parties are reminded that, per the SDNY COVID-19 Courthouse Entry Program, any person who appears at any SDNY courthouse must complete a questionnaire and have his or her temperature taken. Please see the enclosed instructions. Completing the questionnaire ahead of time will save time and effort upon entry. Only those individuals who meet the entry requirements established by the questionnaire will be permitted entry. Please contact chambers promptly if you or your client do not meet the requirements.

**SO ORDERED.**

**Date: November 23, 2021**  
**New York, NY**

  
\_\_\_\_\_  
**VALERIE CAPRONI**  
**United States District Judge**

### **Instructions for Courthouse Entry**

All members of the public, including attorneys, appearing at a Southern District of New York courthouse must complete a questionnaire and have their temperature taken before being allowed entry into that courthouse.

On the day you are due to arrive at the courthouse, click on the following weblink to begin the enrollment process. Follow the instructions and fill out the questionnaire. If your answers meet the requirements for entry, you will be sent a QR code to be used at the SDNY entry device at the courthouse entrance.

Weblink: <https://app.certify.me/SDNYPublic>

Note: If you do not have a mobile phone or mobile phone number, you must complete the questionnaire and temperature screening at an entry device at the courthouse.